



Greenfields Outdoor Fitness, Inc

2617 West Woodland Drive

Anaheim, CA 92801


Phone: 888-315-9037

Fax: 866-308-9719

Email: orders@greenfieldsfitness.com

Estimate

| Order # | Date |
|---------|------------|
| S27269 | 08/15/2024 |



Bill To:

CA - City of Costa Mesa - Wimbeldon Park
 City of Costa Mesa
 PO Box 1200
 Costa Mesa, CA 92628-1200

Customer: Wimbeldon Park

Ship To:

CA - City of Costa Mesa - Wimbeldon Park
 City of Costa Mesa
 Wimbeldon Park - Option#1
 3440 Wimbeldon Way,
 Costa Mesa, CA 92626

Contact: Wimbeldon Park

Notes: PROJECT: CA - City of Costa Mesa - Wimbeldon Park - Option#2

| Sales Rep | Payment Terms | FOB Point | Carrier | Date Scheduled |
|-----------|---------------|-----------|---------|----------------|
| FJV | NET 30 | Origin | Freight | 08/15/2024 |

| Item # | Number | Description | Color | Unit Price | Qty | Total Price |
|--------|----------------------|---|------------|------------|------|-------------|
| 1 | Sourcwell Contract # | Sourcwell Contract# 010721-GRN City of Costa Mesa Sourcwell Member ID#2173 | | \$0.00 | 1 ea | \$ 0.00 |
| 2 | | OPTION#2 DESIGN Version2 Rev1 2022-01-05 | | | | |
| 3 | | AREA#1 | | | | |
| 4 | SGR048E-03 | 2-Person Combo Butterfly & Reverse Fly (formerly SGR2005-1-48E) | Green/Tan | \$6,595.00 | 1 ea | \$ 6,595.00 |
| 5 | SGR091-03KIG | IN GROUND Rowing Machine (formerly SGR2005-1-91) | Green/ Tan | \$3,295.00 | 1 ea | \$ 3,295.00 |
| 8 | SGR098-03 | Leg Extension (formerly SGR2005-1-98) | Green/Tan | \$3,795.00 | 1 ea | \$ 3,795.00 |
| 9 | SGR105-01-IG | IN GROUND Customized Announcement Sign (formerly SGR2005-1-105) | Green | \$1,795.00 | 1 ea | \$ 1,795.00 |
| 10 | | AREA#2 | | | | |
| 11 | SGR022-03K | 4-Person Pendulum, Abs & Dip Station (formerly SGR2005-1-22) | Green/ Tan | \$4,995.00 | 1 ea | \$ 4,995.00 |
| 15 | SGR048W-03 | 2-Person Accessible Lat Pull (formerly SGR2005-1-48-W) | Green/Tan | \$6,595.00 | 1 ea | \$ 6,595.00 |
| 16 | SGR105-01-IG | IN GROUND Customized Announcement Sign (formerly SGR2005-1-105) | Green | \$1,795.00 | 1 ea | \$ 1,795.00 |
| 17 | | AREA#3 | | | | |
| 18 | SGR048AW-03 | 2-Person Accessible Chest Press (formerly SGR2005-1-48A-W) | Green/Tan | \$6,595.00 | 1 ea | \$ 6,595.00 |
| 19 | UBX292-01 | Stepper (adjustable resistance) | Green | \$7,695.00 | 1 ea | \$ 7,695.00 |
| 20 | SGR105-01-IG | IN GROUND Customized Announcement Sign (formerly SGR2005-1-105) | Green | \$1,795.00 | 1 ea | \$ 1,795.00 |
| 21 | | AREA#4 | | | | |
| 22 | SGR026-03K | 2-Person Cross-Country Ski (formerly SGR2005-1-26) | Green/ Tan | \$5,995.00 | 1 ea | \$ 5,995.00 |
| 25 | SGR071-03K | 3-Person Static Combo (formerly SGR2005-1-71) | Green/ Tan | \$4,995.00 | 1 ea | \$ 4,995.00 |
| 31 | SGR105-01-IG | IN GROUND Customized Announcement Sign (formerly SGR2005-1-105) | Green | \$1,795.00 | 1 ea | \$ 1,795.00 |

**Estimate****Greenfields Outdoor Fitness, Inc**

2617 West Woodland Drive


Anaheim, CA 92801

Phone: 888-315-9037

Fax: 866-308-9719

Email: orders@greenfieldsfitness.com

| Order # | Date |
|---------------|------------|
| S27269 | 08/15/2024 |



| Item # | Number | Description | Color | Unit Price | Qty | Total Price |
|--------|----------------------------|--|-------|------------|-------|--------------|
| 32 | | IN-GROUND RETROFIT | | | | |
| 33 | P00118-01 | In-Ground Extension - Large Plate (8 holes) | Green | \$185.00 | 7 ea | \$ 1,295.00 |
| 34 | P00119-01 | In-Ground Extension - Medium plate (6 holes) | Green | \$140.00 | 8 ea | \$ 1,120.00 |
| 35 | P00111-02 | In-Ground Stopper | Tan | \$100.00 | 6 ea | \$ 600.00 |
| 36 | P00122-00 | in ground rebar | N/A | \$6.00 | 40 ea | \$ 240.00 |
| 37 | P00092-01 | In-Ground Extension - UBX main post | Green | \$255.00 | 1 ea | \$ 255.00 |
| 38 | | Subtotal | | | | \$ 61,245.00 |
| 39 | Sourcewell Member Discount | Sourcewell Member Discount | | | | -\$ 4,287.15 |
| 40 | Shipping & Handling | Ships in large crates - forklift is needed to unload | | \$2,990.00 | 1 ea | \$ 2,990.00 |
| 41 | IG Installation | All units will be retrofitted for In-Ground Direct Bury installation method. | N/A | \$0.00 | 1 ea | \$ 0.00 |

Prices are valid for 60 days from the Estimate date.

CUSTOMER APPROVAL: I hereby approve this order, the item selection, color selection, and overall Terms & Conditions. I understand should collection of this agreement become necessary, I agree to pay all collection fees and attorney fees/ court costs, etc. The undersigned customer authorizes Greenfields to ship items on this estimate and pay Greenfields the amount specified per payment terms listed on this estimate.

Approval signature: _____ Date: _____

Signed by (print name) _____

| | |
|-------------------|--------------------|
| Subtotal: | \$59,947.85 |
| Sales Tax: | \$4,645.96 |
| Total: | \$64,593.81 |

Wimbledon Park Option 2- ADA Fitness




Promoting Wellness & Fighting Obesity One Community at a Time.™

Proposed Fitness Zone

Wimbledon Park Option 2

Costa Mesa, CA

Version2 Rev1 2022-01-05



Why Greenfields Outdoor Fitness?

It's never been more important to get everyone in the community exercising!

Since 2007, Greenfields Outdoor Fitness has led the way in creating fun, interactive exercise areas available to the public 24/7.

FITNESS FOR YOUR COMMUNITY There's no one-size-fits-all approach to fitness! We specialize in making sure that everyone – from teens to adults to seniors, and even people in wheelchairs – can exercise on equipment that's suited to their needs. By helping people overcome the obstacles in their journey to becoming healthier, Greenfields is improving the quality of life for people across the world.

CUSTOMIZE IT!
Need to modify one of our packages to your project's needs? Our design team is ready to help.

Looking for custom colors? Just let us know what you need.



PEACE OF MIND Our industry-leading warranty means you should expect no out-of-pocket maintenance costs for at least the first five years. Greenfields' equipment is installed across the U.S. from Alaska to Miami, and even overseas. In case of any issues, our expert support team is just a phone call away.




IN THIS PRESENTATION

| | |
|---------------------------------------|-------|
| AREA 1 PROPOSED DESIGN | 3-4 |
| AREA 1 UNIT SELECTION | 5 |
| AREA 2 PROPOSED DESIGN | 6-7 |
| AREA 2 UNIT SELECTION | 8 |
| AREA 3 PROPOSED DESIGN | 9-10 |
| AREA 3 UNIT SELECTION | 11 |
| AREA 4 PROPOSED DESIGN | 12-13 |
| AREA 4 UNIT SELECTION | 14 |
| PROJECT LAYOUT | 15-16 |
| UNIT DETAILS | 17-21 |
| SIGNAGE | 22-23 |
| INSTALLATION & MAINTENANCE | 25-26 |
| WARRANTY | 27 |

**Introducing the
GREENFIELDS OUTDOOR FITNESS
APP!**

see page 24 for details




Area 1



Area 1



Area 1



PROPOSED EQUIPMENT LEGEND

| | | |
|----------|---------|--|
| A | SGR048E | 2-Person Combo Butterfly & Reverse Fly |
| B | SGR091 | Rowing Machine |
| C | SGR098 | Leg Extension |
| D | SGR105 | Customized Announcement Sign |

These 3 units may serve up to 4 people at a time.


Area 2



Area 2



Area 2



PROPOSED EQUIPMENT LEGEND

| | | |
|----------|---------|---------------------------------------|
| A | SGR022 | 4-Person Pendulum, Abs, & Dip Station |
| B | SGR048W | 2-Person Accessible Lat Pull |
| C | SGR105 | Customized Announcement Sign |

These 2 units may serve up to 6 people at a time.


Area 3



Area 3



Area 3



PROPOSED EQUIPMENT LEGEND

| | | |
|----------|----------|---------------------------------|
| A | SGR048AW | 2-Person Accessible Chest Press |
| B | UBX292 | Stepper (adjustable resistance) |
| C | SGR105 | Customized Announcement Sign |

These 2 units may serve up to 3 people at a time.


Area 4



Area 4



Area 4



PROPOSED EQUIPMENT LEGEND

| | | |
|----------|--------|------------------------------|
| A | SGR026 | 2-Person Cross-Country Ski |
| B | SGR071 | 3-Person Static Combo |
| C | SGR105 | Customized Announcement Sign |

These 2 units may serve up to 5 people at a time.



Area 1




Area 2




Area 3



Area 4








3-Person Static Combo

SGR071



This unit offers the following exercises:

| | |
|--|---|
| <ul style="list-style-type: none"> 1. Dips 2. Assisted Squats 3. Chin/Pull-Ups 4. Stretching | <ul style="list-style-type: none"> 5. Incline Leg Raises 6. Incline Sit-Ups |
|--|---|




Target muscles



Secondary muscles



- Strengthens upper back, shoulders, biceps, and core
- Can be used by 3 people simultaneously

Exercise stations:


- Dips
- Assisted Squats
- Chin/Pull-Ups
- Incline Leg Raises
- Incline Sit-Ups








Leg Extension
SGR098



Rowing Machine
SGR091



Stepper (adjustable resistance)
UBX292



CUSTOMIZED ANNOUNCEMENT BOARD

SGR2005-1-105

This announcement board can be used to:

- State safety guidelines
- Acknowledge project donors/sponsors
- Encourage healthy lifestyle choices
- Provide sample workouts

Customization available at no charge
(text, logos, etc.)

William H. Kerdyk, Jr., and Family Park FITNESS ZONE

The fitness equipment is designed for your enjoyment.
For your safety, we ask you to comply with the following:

- 1 You assume all risk and responsibility for use of the exercise equipment at this facility
- 2 You must be at least 14 years old to use this equipment.
- 3 Parents/Guardians: To avoid injuries, do not let your underage children use the equipment.
- 4 Consult your physician prior to starting any physical fitness training program.
- 5 The City of Coral Gables does not provide any supervision for the use of the equipment.
- 6 Any potential users with known adverse health conditions should not use this equipment.
- 7 Before using the equipment, check for loose parts, breaks, cracks or other conditions needing attention. If any abnormalities are noticed, do not use the equipment. Please contact parks@coralgables.com (305)460-5600.
- 8 Perform exercises according to instructions on each piece of equipment.
- 9 Breathe normally during physical activity.
- 10 Perform resistance exercises according to instructions in a slow, controlled manner over the full range of motion. Performing the movements too quickly may result in an injury.
- 11 During exercise, pay attention to how your body feels. If pain or discomfort occurs, STOP THE EXERCISE IMMEDIATELY.
- 12 Rest and recovery are important between sets and exercises. Please allow 2 minutes of rest between exercises.
- 13 Keep a safe distance from exercise equipment when in use by others.

The City of Coral Gables shall not be liable for any personal injury to any person resulting from the use of the exercise equipment at this facility.
CORAL GABLES
THE CITY BEAUTIFUL


Riverside Park FITNESS ZONE

The fitness equipment is designed for your enjoyment.
For your safety, we ask you to comply with the following:

- 1 You assume all risk and responsibility for use of the exercise equipment at this facility
- 2 You must be at least 14 years old to use this equipment.
- 3 Parents/Guardians: To avoid injuries, do not let your underage children use the equipment.
- 4 Consult your physician prior to starting any physical fitness training program.
- 5 The city does not provide any supervision for the use of the equipment.
- 6 Any potential users with known adverse health conditions should not use this equipment.
- 7 Before using the equipment, check for loose parts, breaks, cracks or other conditions needing attention. If any abnormalities are noticed, do not use the equipment. Please call 313-628-0900.
- 8 Perform exercises according to instructions on each piece of equipment.
- 9 Breathe normally during physical activity.
- 10 Perform resistance exercises according to instructions in a slow, controlled manner over the full range of motion. Performing the movements too quickly may result in an injury.
- 11 During exercise, pay attention to how your body feels. If pain or discomfort occurs, STOP THE EXERCISE IMMEDIATELY.
- 12 Rest and recovery are important between sets and exercises. Please allow 2 minutes of rest between exercises.
- 13 Keep a safe distance from exercise equipment when in use by others.

The City of Detroit shall not be liable for any personal injury to any person resulting from the use of the exercise equipment at this facility.


EXAMPLES OF COMPLETED SIGNS



Unit labels feature safety guidelines, exercise instructions and more!



ADA Label included on units from
 Greenfields' Signature Accessible™ line




The GREENFIELDS OUTDOOR FITNESS APP **debuting 2022**

Greenfields is excited to announce the launch of our exclusive APP, debuting in 2021! The Greenfields App is the perfect companion to our multigenerational outdoor gyms, giving users the ability to search for gyms near their location, explore exercises available on Greenfields units, create workouts, and log their progress. See below for more!


explore

[search for gyms near you]



workout

[customize your routine]



scan

[quickly find videos & more]



*App is currently in beta testing. Final product may vary from screenshots shown.

**General Installation Instructions:
In-Ground Embedded Footings**



Video Demo:
<https://gfoutdoorfitness.com/in-ground-installation/>

The following information for contractors, maintenance personnel and supervisory staff will help ensure an accurate, safe and problem-free installation.



SUGGESTED MATERIALS

Please be advised that the use of decomposed granite surfacing (DG) is known to accelerate normal wear & tear of footrests.

1. 2x4s: approximately four, 8' to 10' lengths per unit.
2. All-Thread: 3/8" to 1/2", cut in 1' lengths, two pieces per embedded pipe.
3. Nuts & Washers: to fit all-thread, four sets per embedded pipe.
4. Stakes: metal/wood, approximately six per unit.
5. Pavers/Cinder Blocks: 1 to 2 per unit.
6. Tie Wire/C-Clamps
7. Duplex Wood Nails/Dry Wall Screws
8. Concrete: 3250 psi or better. Aggregate ratio: 3/8" to 3/4" in 1:3 ratio. Concrete ratio: 1:3:2.5 of concrete, aggregate, and sand.
9. Tools: cordless impact driver, skill saw, pliers, hammer, small sledge, magnetic level, tape measure, shovels, wheelbarrows, etc.
10. Plans/Drawings: schematic drawings and instructions for each model # to be installed.

SITE PREP - Before equipment handling

1. Area should be fenced—recommend 6' temporary fencing, entire perimeter.
2. Ground should be thoroughly graded and "finished grade" accurately established, using either laser or string-line methods.
3. Prior to digging, entire site should be "laid-out" with all footings clearly marked as per plans.
4. In the U.S. contact "Dig Alert" for clearance to dig, and follow all local construction regulations (fencing, dirt removal, etc.)
5. Dig footings, closely following given dimensions.
6. Remove dirt and debris from site, prior to placing units.



**General Installation Instructions:
In-Ground Embedded Footings**



BASIC INSTALLATION GUIDELINES

UNITS ARE HEAVY (up to 450 lbs.) When unloading and handling, please exercise extra care to prevent injury or damage to the equipment.

1. All units must be fully assembled before installation
2. All screws must be attached using LocTite
3. Do not drag units along the ground
4. If missing parts or damaged items are noticed during installation, or should any assistance be required, please contact Greenfields immediately at 888-315-9037 x105.
5. All units **MUST** be fully assembled, leveled, and braced in place in the footing hole before any concrete is poured.
6. A monolithic pour **MUST** be used for concrete. (All concrete must be poured at one time)
7. Concrete requirement: 3250 psi or better.
8. The top of the blue tape attached to the posts on the equipment is final top surface level.
9. Brace units at the designated locations using the 2x4s, secured by c-clamps, all-thread or tie-wire. Use padding to avoid scratching powder coating.
10. Suggested safety zone is about 48" - 60" perimeter around usage area (seats and moving parts). Clearance area may overlap with a nearby unit, as long as there is enough clearance to safely mount and dismount each unit.
11. Make sure all units are plumb and leveled
Adhere to surfacing level (marked on units with blue tape)
12. Pour concrete
13. Clear concrete residue from post and other parts
14. Let concrete dry. It is recommended to wait a minimum of one week after concrete is poured before equipment is used.
15. Remove supports
16. Touch up units using attached guide
17. Wrap units in black tarps until open to public
18. At the end of installation, toolbox and all documentation should be submitted to the local maintenance staff.





Inspection Checklist

General Guidelines for Outdoor Fitness Equipment

The following document is supplied as a general inspection document to be performed during regular park inspections. Our support team can be reached at (888) 315-9037 x105 or csc@greenfieldsfitness.com.

Inspection process

| | |
|--|--|
| <input type="checkbox"/> Visual Inspection | <input type="checkbox"/> Documentation |
| <input type="checkbox"/> Internal Inspection | <input type="checkbox"/> Reporting |

Visual Inspection

- Check all plastic footrests, backrests, seats, etc. for any cracks. If items are cracked in an unsafe manner, take photos and contact Greenfields to order new pieces.
- Check all rubber grips for any signs of wear, and make sure they are functioning correctly. If grips are torn or cut, exposing handlebars, take photos and report to Greenfields.
- Inspect welds for any signs of wear. If there is any damage, take photos and report to Greenfields.
- Check round safety labels for any signs of wear or vandalism, and send photos if there is.
- If unsafe for public use, please wrap portion of that unit with a caution-tape to prevent use while maintenance is in progress.

Internal Inspection

- Engage moving parts and ensure full, uninhibited functionality. If units are making noises when in use, do NOT lubricate the bearings. Check for any metal on metal contact and send photos to Greenfields for review.
- Inspect bolts and caps to ensure equipment is fully tightened. If screws are loose or missing, tighten or install new screws using a thread-locking compound. If new screws are needed, take photos of the location they are needed and contact Greenfields to order new screws.
- If unsafe for public use, please wrap portion of that unit with caution tape to prevent use while maintenance is in progress.

Documentation

- Greenfields takes great pride in providing amazing outdoor fitness gyms that are intended for use by the unsupervised masses in public settings. We do realize that left unattended, units may be subject to improper use or even abuse. We rely on the local maintenance staff to provide the necessary support in order to keep all units and parts in optimal operating condition for years to come.
- Please use the inspection log provided

Reporting

- Greenfields Customer Support Center is available to help with all inquiries. Please feel free to contact us at: csc@GreenfieldsFitness.com or 888-315-9037 x 105
- Please be sure to include photos and name of the park, city, state, country and on-site contact person with whom to communicate.

In order to have our products fit quickly and safely, BioSteel Dealer Fitness reserves the right to make changes and revise the design specifications without notice.
© 2011 BioSteel Dealer Fitness.

Safety/Maintenance Inspection Log



Questions? Please call 888-315-9037 x108

WARRANTY

- Limited 10-year warranty on main post and metal structure
- Limited 5-year warranty on moving parts and bearings
- Limited 5-year warranty on seats and backrests
- Limited 3-year warranty on hydraulic pistons
- Limited 2-year warranty on footrests, armrests, rubber parts, and chains
- Limited 1-year warranty on battle ropes, climbing ropes, and suspension trainers

All warranties cover failure due to natural deterioration or manufacturing defects and do not include any cosmetic issues or wear and tear from normal use. This warranty does not cover cosmetic items such as scratches, dents, marring, fading, discoloring, weathering, wear and tear, or normal level of rusting. Warranty is valid only if the equipment is installed and maintained in conformity with Greenfields' installation and maintenance procedures furnished by Greenfields Outdoor Fitness. Equipment should not be exposed to any irrigation, especially with reclaimed water, as this will void the warranty. Equipment must be installed on a surface with proper drainage and/or slope to prevent water buildup around the base of the equipment. Equipment should not be installed in basins or in low-lying areas which result in equipment being submerged. Equipment should be installed in a timely fashion after delivery; however if the equipment must be stored for an extended period of time, crates should be stored in a dry, indoor environment.

OTHER PRODUCT INFORMATION

Greenfields will continue to develop its line of products and therefore reserves the right to change the design specifications without notice. The equipment is designed for use by individuals weighing up to 300 pounds. The equipment is NOT intended to be used by individuals younger than 14 years of age unless supervised by adults. Greenfields' units are designed to accommodate the majority of users age 14 and above; however, due to the nature of outdoor fitness equipment, units are regarded as "one size fits most, but not all."

CUSTOMER SUPPORT

Upon written notification (email or fax) to Greenfields of a product's failure to conform to any of the aforementioned warranties during the applicable warranty period, Greenfields shall correct such failure/nonconformity by repairing the defective part(s) or providing replacement part(s) within 60 calendar days of receipt of the notification. Greenfields shall ship the required replacement part(s) to the site free of charge, but will not be responsible for providing labor or the cost of labor for removing defective part(s) or installing replacement part(s). Greenfields will warranty the replacement part(s) for the remainder of the original warranty period. Furthermore, no representation, oral or written, of any

individual may be substituted for this exclusive limited warranty. To the extent permitted by law, Greenfields shall not be liable for any direct, indirect, special, incidental or consequential damages, which are expressly excluded from the sale of its product. To make claims under the terms of this warranty, please contact Greenfields' Customer Support Center at CSC@GreenfieldsFitness.com. Please include photos or video.

INSTALLATION

Greenfields' equipment is constructed from heavy steel pipes and is subject to heavy forces and torques when in use as intended. Extra care must be taken to ensure that the equipment is securely installed so that it can be safely enjoyed for years to come.

There are two methods of installation for the equipment:

- Surface mount installation with posts bolted to a reinforced concrete slab a minimum of 6"-8" thick (please refer to Installation Instructions & Video for detailed guidelines)
- Permanent in-ground installation in which the equipment post extensions are placed in concrete footings and use provided rebar pegs (please refer to Installation Instructions & Video for detailed guidelines)

Installers and project managers are encouraged to contact Greenfields' Customer Support Center with any questions before and/or after installation. Detailed installations instructions are available for all products and are included in the Operations & Maintenance (O&M) Owner's Manuals which are shipped with every order.

Often the installation of Greenfields products is assigned to the lowest bidding contractor. The contractor may not have been in contact with Greenfields prior to the project or seen the detailed Installation Instructions. It is the responsibility of the project manager to ensure installing contractor is provided with the most updated set of Greenfields' Installation Instructions & Installation Video to ensure the validity of the warranty.

Should the project installer need a copy of the Installation Instructions, please contact Greenfields' Customer Support Center at 888-315-9037 x105 or by email at CSC@GreenfieldsFitness.com.

SAFETY STANDARDS

This adult outdoor fitness equipment is not intended for use by unsupervised individuals younger than 14 years of age.

ASTM recently adopted ASTM F3101-15 Standard Specification for Unsupervised Public Use Outdoor Fitness Equipment.

While playgrounds are subject to laws in various states requiring compliance with ASTM and/or Consumer Product Safety Commission (CPSC) guidelines, at time of this publication, and to the best knowledge of the author, there are no state laws requiring compliance with standards set forth by ASTM for outdoor fitness equipment (nor with

CPSC guidelines, as none currently exist.) Play equipment can be certified to be in compliance with ASTM by the International Playground Equipment Manufacturers Association (IPEMA), and many agencies have a requirement that they only purchase equipment that is IPEMA certified. However, at this time, this is not possible with outdoor fitness equipment, as IPEMA does not currently certify compliance of outdoor fitness equipment. In addition, at this time there are no programs in place to train certified inspectors for outdoor fitness equipment. Without a state law that requires compliance, specifications are voluntary only. However, Greenfields Outdoor Fitness strives to comply with all of the voluntary specifications of ASTM F3101-15. Greenfields recommends adding a customized sign to each project to limit liability.

SURFACING MATERIALS

Over the years, Greenfields' product has been installed using the following types of surfacing: decomposed granite (aka DG or crushed granite), concrete, bonded rubber or poured-in-place surfacing, rubber tiles, asphalt, paver stones, and synthetic grass. Mulch, woodchips, beach sand, and sod have also been used but are not recommended with respect to wheelchair access. The type of surfacing used is ultimately the choice of the owner and their project manager. When it comes to Greenfields Functional Fitness Series, it is advised to use fall attenuating surfacing.

MAINTENANCE & EQUIPMENT UPKEEP

Greenfields Outdoor Fitness equipment is intended to be used by the unsupervised public in a variety of outdoor settings. Greenfields is extremely proud of the safe and durable design of its products, which are built to surpass their warranty under normal usage. Installations throughout the hemisphere prove this equipment's success in both hot and cold climates, as well as dry and humid conditions. While the units are designed to require, for the most part, little to no maintenance, Greenfields recognizes that heavy and constant usage will require a minimal level of maintenance which will be scheduled based on the specific nature of each project.

Installation on an ocean front, or with a direct line of sight to the ocean, will expose the units to salt and will require additional maintenance which is not required at inland sites or in dry climates. Such installations will require a regular fresh water rinse to remove the salt from the units (do not use reclaimed water - exposing the equipment to reclaimed water will void warranty). Greenfields recommends periodic inspection by a maintenance team to ensure each and every apparatus functions as intended. Please refer to the Periodic Inspection Checklist provided with the O&M Owner's Manuals.