

146



(REPLACING 146 & 147)

156200-01

January 17, 2023

CITY OF COSTA MESA

P O BOX 1200  
COSTA MESA, California 92626

Attention: BRENDAN CARPENTER

Quinn Company would like to thank you for your interest in our company and our products, and are pleased to quote the following for your consideration.

One (1) New Caterpillar Inc. Model: 262D3 Skid Steer Loader

**STOCK NUMBER:**            **SERIAL NUMBER:**            **YEAR:** 2023

---

Quinn Company would like to thank you for the opportunity of quoting on your equipment needs. This quotation is valid for 30 days, after which time we reserve the right to re-quote. If there are any questions, please do not hesitate to contact me.

Sincerely,

---

Jeff Liebl  
Governmental Machine Sales Representative  
714 713-5110  
jliebl@quinncompany.com

**One (1) New Caterpillar Inc. Model: 262D3 Skid Steer Loader**

**Standard Equipment**

**POWERTRAIN**

Cat C3.3B diesel engine  
 -Gross horsepower per SAE J1349  
 74.3 hp (55.4 kW) @ 2400 RPM  
 -Electric fuel priming pump  
 -Glow plugs starting aid  
 -Liquid cooled, direct injection  
 -Air cleaner, dual element, radial seal  
 S-O-S sampling valve, hydraulic oil  
 Filter, cartridge type, hydraulic

Filters, canister type, fuel  
 and water separator  
 Radiator / hydraulic oil  
 cooler (side-by-side)  
 Spring applied, hydraulically released,  
 parking brakes  
 Hydrostatic transmission  
 Four wheel chain drive

**HYDRAULICS**

ISO or H pattern controls:  
 Electro/hydraulic implement control

Electro/hydraulic hydrostatic  
 transmission control

**ELECTRICAL**

12 volt electrical system  
 80 ampere alternator  
 Ignition key start/stop/aux switch  
 Lights:  
 -Gauge backlighting

-Two rear tail lights  
 -Dome light  
 Backup alarm  
 Electrical outlet, beacon

**OPERATOR ENVIRONMENT**

Operator warning system indicators:  
 -Air filter restriction  
 -Alternator output  
 -Armrest raised/operator out of seat  
 -Engine coolant temperature  
 -Engine oil pressure  
 -Glow plug activation  
 -Hydraulic filter restriction  
 -Hydraulic oil temperature  
 -Park brake engages  
 -Engine emission system  
 Gauges: fuel level and hour meter  
 Storage compartment with netting  
 Ergonomic contoured armrest  
 Control interlock system, when operator

leaves seat or armrest raised:  
 -Hydraulic system disables  
 -Hydrostatic transmission disables  
 -Parking brake engages  
 ROPS cab, open, tilt up  
 Anti-theft security system w/6-button  
 keypad  
 FOPS, level I  
 Top and rear windows  
 Floormat  
 Interior rear view mirror  
 USB charging port  
 Horn  
 Hand (dial) throttle, electronic

**FRAMES**

Lift linkage, vertical path

Belly pan cleanout

Chassis, one piece welded  
Machine tie down points (6)

Support, lift arm  
Rear bumper, welded

**OTHER STANDARD EQUIPMENT**

Engine enclosure - lockable  
Extended life antifreeze (-37C, -34F)  
Work tool coupler  
Hydraulic oil level sight gauge  
Radiator coolant level sight gauge  
Radiator expansion bottle  
Cat ToughGuard TM hose

Heavy duty flat faced quick disconnects  
with integrated pressure release  
Split D-ring to route work tool hoses  
along side of left lift arm  
Variable speed hydraulic cooling fan  
Per SAE J818-2007 and EN 474-3:2006 and  
ISO 14397-1:2007

**MACHINE SPECIFICATIONS**

262D3 SKID STEER LOADER	512-4262
LANE 3 ORDER	0P-9003
CAB PACKAGE, ULTRA	588-9091
RIDE CONTROL	556-5899
BATTERY,HD,DISCONNECT, 850 CCA	568-5602
REAR LIGHTS	356-6082
DOOR, CAB, GLASS	539-8060
SEAT BELT, 3"	542-6995
PRODUCT LINK, CELLULAR PL243	566-7115
TIRES, 12/16.5 CAT 10PR	185-8666
CERTIFICATION ARR, P65	563-1163
INSTRUCTIONS, ANSI, USA	512-3741
SERIALIZED TECHNICAL MEDIA KIT	421-8926
SHIPPING/STORAGE PROTECTION	0P-2266
FILM, SELF LEVEL, ANSI	435-9238
FILM, RIDE CONTROL, ANSI	422-3445
PACK, DOMESTIC TRUCK	0P-0210
BUCKET-GP, 74", BOCE	279-5373
BUCKET-MP, 68", BOT	426-6487
CARRIAGE, PAL C2, 46", SSL	351-9371
FORK, PAL C2, 48" X 4" X 1.5"	195-8545
SOLID TRACTION TIRES	

**WARRANTY & COVERAGE**

Standard Warranty: 24 MONTHS / 2,000 HOURS FULL MACHINE  
 Extended Coverage: 262-60 MO/2500 HR PREMIER (Tier 4)  
 CSA 36 MO / 1,500 HOURS PARTS ONLY (INCLUDES SOS) (QUINN CVA)

LIST PRICE	\$110,894.62
SOURCEWELL CONTRACT 032119 -21%	-\$23,287.87
<b>DISCOUNTED SALE PRICE</b>	<b>\$87,606.75</b>
TIRE FEE	\$7.00
SALES TAX (7.75%)	\$6,789.52
<b>AFTER TAX BALANCE</b>	<b>\$94,403.27</b>

**PAYMENT TERMS****Cash Invoice Terms**

Net 10 Days

\$94,403.27

**F.O.B./TERMS:**

Subject to Factory Order. Request to be submitted for order with signed quote. Lead time unknown until order acknowledged by Caterpillar.

Accepted by \_\_\_\_\_ on \_\_\_\_\_

\_\_\_\_\_  
Signature

**OPTIONS:**

Components	Ref No.	Qty	Sell
<b>CAT Components (Attachments)</b>			
BROOM, UTILITY, BU115, BOCE	493-2258	1	\$6,569.00
MOUNTING BRACKET, NOZZLE	257-3140	1	\$35.00
KIT, WATER SPRINKLER	256-9335	1	\$235.00
COLD PLANER, PC306	529-5790	1	\$26,319.00
KIT, WATER SPRAY, PCX06/8	231-2591	1	\$265.00
KIT, WATER TANK, 44 US GAL	571-6876	1	\$2,340.00

344

Quote 156206-02



(REPLACING 344 : 386)

156206-02

Jan 12, 2023

CITY OF COSTA MESA

P O BOX 1200  
COSTA MESA, California 92626

Attention: MIKE TUCKER

Quinn Company would like to thank you for your interest in our company and our products, and are pleased to quote the following for your consideration.

One (1) New Caterpillar Inc. Model: 308 Excavator

**STOCK NUMBER:** NS0019176

**SERIAL NUMBER:** 0GG807833

**YEAR:** 2023

Quinn Company would like to thank you for the opportunity of quoting on your equipment needs. This quotation is valid for 30 days, after which time we reserve the right to re-quote. If there are any questions, please do not hesitate to contact me.

Sincerely,

Jeff Liebl  
Governmental Machine Sales Representative  
714 713-5110  
jliebl@quinncompany.com

## One (1) New Caterpillar Inc. Model: 308 Excavator

**Standard Equipment****POWERTRAIN**

CAT C3.3B diesel engine  
 ISO 9249/EEC 80/1270  
 Rated net power 55kW/72hp  
 Automatic engine idle  
 Automatic swing brake

Automatic two speed travel  
 Fuel water separator with indicator  
 Radial seal air filter  
 Double element with warning indicator  
 Extended life coolant - 37C

**UNDERCARRIAGE**

Greased and lubricated track  
 Hydraulic track adjusters

Tie down eyes on track frame

**HYDRAULICS**

Smart tech electronic pump  
 Variable displacement piston pump  
 Load sensing/flow sharing hydraulics  
 Power on demand

Hydraulic temperature monitoring  
 Accumulator - certified  
 Hydro advanced hydraulic oil

**ELECTRICAL**

60 ampere alternator  
 850 CCA maintenance free battery  
 Battery disconnect  
 Circuit breaker  
 Ignition key stop switch

Signaling/warning horn  
 Work lights  
 - Cab, boom left, front right  
 - Courtesy safety light

**OPERATOR ENVIRONMENT**

Sealed and pressurized cab  
 Ergonomic joysticks control levers  
 Adjustable wrist rests  
 Air conditioner/heater with defroster &  
 Automatic temp control  
 Coat hook  
 Color LCD monitor:  
 - Fuel level, coolant temp, & warning  
 indicators  
 - Maintenance and machine monitoring  
 - Performance & machine adjustments  
 - Numeric security code  
 - Multiple languages  
 - Hour meter  
 - Ground level wakeup switch  
 - Jog dial control interface

Hydraulic lockout for all controls  
 LED interior light  
 Literature holder  
 Mirror rear view - Cab left  
 Molded footrests  
 Openable front windshield with assist &  
 integrated lower window  
 Rear window emergency exit  
 Removable washable floor mat  
 Retractable seat belt  
 Seat, fabric, high back, suspension  
 Travel control pedals with hand levers  
 Utility space for mobile phone  
 Front post mounted windshield wiper &  
 washer  
 Skylight

Cup holder

Mounting bosses for front & top guard

**FLUIDS**

Extended life coolant - 37C

Hydro advanced hydraulic oil

**OTHER STANDARD EQUIPMENT**

Accumulator, certification

Caterpillar corporate "one key" system

Door locks on cab door and external enclosure doors

Lockable fuel cap

Beacon Socket

Ecology drain - engine

Radial seal engine air filter, double element with restriction indicator

Side by side engine & hydraulic oil cooler

Hydraulic fluid temperature monitoring

Joystick travel and steering mode

Travel cruise control

High definition hydraulics

- load sensing/flow sharing

Power on demand

Rear reflectors

Roll over protective structure (ROPS)

(ISO 12117-2)

Product link elite lite (regulations apply)

Auxiliary hydraulic lines:

- 1-way and 2-way (combined function)

- Auxiliary line quick disconnects

- In cab adjustable auxiliary flow

- Continuous flow

**MACHINE SPECIFICATIONS**

308 07A CR MHE DCA8D	615-9672
DRAIN, ECOLOGY	382-8757
HEATER, WATER JACKET	415-2556
SEAT, AIR SUSP, FABRIC, HEATED	510-6070
BELT, SEAT, 3" RETRACTABLE	510-6085
ALARM, TRAVEL	511-6157
MONITOR NEXT GEN, ADVANCED, CR	511-6177
LIGHTS, LED	511-6217
INTEGRATED RADIO	511-6219
CAMERA, REAR VIEW	511-6235
ELECTRICAL ARR, C3.3 HRC	511-6253
308 07A CR MINI EXCAVATOR	512-1401
BOOM, SWING	512-2573
LINES, BOOM	514-8055
LINES, STICK	514-8067
LINES, QC, LNG STK, 3 LINE	516-1613
ENGINE, EPA TIER 4 FINAL	518-6184
CONTROL, QC, 3 LINE	520-0778
CAT KEY, WITH PASSCODE OPTION	522-6460
INSTRUCTIONS, ANSI	523-3993
INSTRUCTIONS, CANADA	523-9613
COUNTERWEIGHT, EXTRA	525-6657
FILM, COUPLER, ISO	555-8731
SOFTWARE, PROPORTIONAL CONTROL	557-1709
SOFTWARE, STICK STEER CONTROL	557-1710
SOFTWARE, 2 WAY CONTROL	557-1711
SOFTWARE, CODED START	557-1713
PRODUCT LINK, CELLULAR PLE643	557-5123
STD BLADE, STD U/C, TG W/PAD	562-3698
STICK, LONG	563-2071
LINKAGE, BUCKET W/ LIFTING EYE	568-1567
EOU HOUSE SWING COVER, 8T	605-3340
WIRING GP	604-0125
COVER GP	605-3336
PLUG GP	605-3339
LANE 2 ORDER	0P-9002
ATHENS DEALER PDI & FUEL	590-9287
THUMB, HYD + COUPLER, PG, HYD, 8T	504-6175
BUCKET-HD, 24", 8.1 FT3, 7T	295-5952
SHIPPING/STORAGE PROTECTION	0P-2266
SERIALIZED TECHNICAL MEDIA KIT	421-8926
PACKING, LAST MILE PROGRAM	0P-4299
BUCKET-HD, 18", 5.4 FT3, 7T	295-5951
BUCKET-HD, 36", 13.8 FT3, 7T	295-5954
PINS, BUCKET, 50MM	308-0324
BRACKET, MHE 8T, 50MM, XL	564-9840
BUCKET-GRADING, 47", 14.6 FT3, 7T	388-9666
WHEEL, 18", 1/4 PL	517-6996



**WARRANTY & COVERAGE**

Standard Warranty: 24 MONTHS / 2,000 HOURS FULL MACHINE  
Extended Coverage: 60 MO/2500 HR PREMIER (Total Machine)  
CSA 36 MO / 1,500 HOURS PARTS ONLY (Filter Kits for first 3 Services)

---

LIST PRICE	\$231,823.78
SOURCEWELL CONTRACT 032119 DISCOUNT -20%	-\$43,364.76
<b>DISCOUNTED SALE PRICE</b>	<b>\$185,459.02</b>
SALES TAX (7.75%)	\$14,373.07
<b>AFTER TAX BALANCE</b>	<b>\$199,832.10</b>

---

**PAYMENT TERMS**


Cash Invoice Terms

NET 10 DAYS  
\$199,832.10

---

**F.O.B/TERMS:**  
On order arriving end of January 12, 2023  
Reservation with signed quote or PO

---

Accepted by MIKE TUCKER on 1/12/23  
MAINT. SUPERINTENDENT  
CITY OF COSTA MESA  
  
Signature