

Subject:

Tree Removal Request

Detailed description:

The Daughter of the homeowner at this address is requesting that the City tree be removed that is located in Wimbledon Park

Req'd date:

2022-10-26 (Request entered by: Jim Ortiz)

Req'd by:

Mary Helen Frake Minor

Location:

3462 Wimbledon Way

Phone:**Work Order Nr:**

22102226

District:

2

Supervisor:

City Arborist

Employee:

Ortiz, Jim

Call back needed:

N

Contacted date:

2022-10-13

OSHA safety concern:

N

Status:

In Progress

Completion date:

0000-00-00

Inspection date:

2022-11-21

Hours:

1 Minutes: 30

Material cost:

0.00

Action taken:

10/13/22 - Received e-mail from Resident's daughter for attending another Zoom Meeting - JO 10/17/22 - Division Services Manager e-mailed resident back. Arborist e-mailed resident with - JO 10/19/22 - Resident's daughter e-mailed back stating that she will call me sometime this week to discuss. Received letter with pictures from homeowner - JO 10/20/20 - Provided copy of letter and pictures to Division Services Manager. This was from 2021 - JO 10/21/22 - Reviewed letter and there is nothing new in the letter. The PACS Commission - JO 11/18/22 - Resident's daughter has not e-mailed or called me as of this date - JO 11/21/22 - Inspected tree P17. The tree has been trimmed on 1/17/22. The tree was trimmed aggressively and does not need another tree trimming at this tree. The tree appeared stable, there were no noticeable structural defects or any visible signs of any pest or disease activity present during the time that I inspected this tree - JO 11/28/22 - Resident's daughter called back. Resident's daughter to e-mail both me and Rob reasons why the tree needs to be removed - JO 12/22/22 - Received email formally requesting the removal the closest Canary Island Pine Tree (p17) to the common wall - JO 12/27/22 - Inspected the trees close in proximity to this address growing in Wimbledon Park. The tree numbers are P17, P15, P14, P12, P13, P11 & P9. Tree numbers P14, P15 & P17 are Canary Island Pine Trees. P9, P11, P12, & P13 are Cajeput Trees. Upon inspection of the common wall only one (1) area appeared separated. The root only had minor Cajeput Tree leaves from tree number P12. All six (6) trees that were evaluated are deemed healthy. Tree P17 is a minor slope and there is a slight lean in this tree. P17 (Canary Island Pine Tree) is east of a SCE light pole. SCE light pole number # 219805 E. The distance from the trees to the common wall are the following: P9 - 9'-6" P12 - 27'-2" P13 - 23'-6" P14 - 4'-3" P15 - 16'-6" P17 - 16'-8" The DBH of tree P17 is 28". The removal cost would be \$ 856.80.