146

ATTACHMENT 1
Quote 156200-01

(REPLACING 146 & 147)

156200-01

January 17, 2023

CITY OF COSTA MESA

P O BOX 1200
COSTA MESA, California 92626

Attention: BRENDAN CARPENTER

Quinn Company would like to thank you for your interest in our company and our products, and are pleased to quote the following for your consideration.

One (1) New Caterpillar Inc. Model: 262D3 Skid Steer Loader

STOCK NUMBER: **SERIAL NUMBER:** **YEAR:** 2023

Quinn Company would like to thank you for the opportunity of quoting on your equipment needs. This quotation is valid for 30 days, after which time we reserve the right to re-quote. If there are any questions, please do not hesitate to contact me.

Sincerely,

Jeff Liebl
Governmental Machine Sales Representative
714 713-5110
jliebl@quinncompany.com

One (1) New Caterpillar Inc. Model: 262D3 Skid Steer Loader

Standard Equipment

POWERTRAIN

Cat C3.3B diesel engine
-Gross horsepower per SAE J1349
74.3 hp (55.4 kW) @ 2400 RPM
-Electric fuel priming pump
-Glow plugs starting aid
-Liquid cooled, direct injection
-Air cleaner, dual element, radial seal
S-O-S sampling valve, hydraulic oil
Filter, cartridge type, hydraulic
Filters, canister type, fuel and water separator
Radiator / hydraulic oil cooler (side-by-side)
Spring applied, hydraulically released, parking brakes
Hydrostatic transmission
Four wheel chain drive

HYDRAULICS

ISO or H pattern controls:
Electro/hydraulic implement control
Electro/hydraulic hydrostatic transmission control

ELECTRICAL

12 volt electrical system
80 ampere alternator
Ignition key start/stop/aux switch
Lights:
-Gauge backlighting
-Two rear tail lights
-Dome light
Backup alarm
Electrical outlet, beacon

OPERATOR ENVIRONMENT

Operator warning system indicators:
-Air filter restriction
-Alternator output
-Armrest raised/operator out of seat
-Engine coolant temperature
-Engine oil pressure
-Glow plug activation
-Hydraulic filter restriction
-Hydraulic oil temperature
-Park brake engages
-Engine emission system
Gauges: fuel level and hour meter
Storage compartment with netting
Ergonomic contoured armrest
Control interlock system, when operator leaves seat or armrest raised:
-Hydraulic system disables
-Hydrostatic transmission disables
-Parking brake engages
ROPS cab, open, tilt up
Anti-theft security system w/6-button keypad
FOPS, level I
Top and rear windows
Floormat
Interior rear view mirror
USB charging port
Horn
Hand (dial) throttle, electronic

FRAMES

Lift linkage, vertical path
Belly pan cleanout

Chassis, one piece welded
Machine tie down points (6)
Support, lift arm
Rear bumper, welded

OTHER STANDARD EQUIPMENT

Engine enclosure - lockable
Extended life antifreeze (-37C, -34F)
Work tool coupler
Hydraulic oil level sight gauge
Radiator coolant level sight gauge
Radiator expansion bottle
Cat ToughGuard TM hose
Heavy duty flat faced quick disconnects with integrated pressure release
Split D-ring to route work tool hoses along side of left lift arm
Variable speed hydraulic cooling fan Per SAE J818-2007 and EN 474-3:2006 and ISO 14397-1:2007

MACHINE SPECIFICATIONS

262D3 SKID STEER LOADER	512-4262
LANE 3 ORDER	0P-9003
CAB PACKAGE, ULTRA	588-9091
RIDE CONTROL	556-5899
BATTERY,HD,DISCONNECT, 850 CCA	568-5602
REAR LIGHTS	356-6082
DOOR, CAB, GLASS	539-8060
SEAT BELT, 3"	542-6995
PRODUCT LINK, CELLULAR PL243	566-7115
TIRES, 12/16.5 CAT 10PR	185-8666
CERTIFICATION ARR, P65	563-1163
INSTRUCTIONS, ANSI, USA	512-3741
SERIALIZED TECHNICAL MEDIA KIT	421-8926
SHIPPING/STORAGE PROTECTION	0P-2266
FILM, SELF LEVEL, ANSI	435-9238
FILM, RIDE CONTROL, ANSI	422-3445
PACK, DOMESTIC TRUCK	0P-0210
BUCKET-GP, 74", BOCE	279-5373
BUCKET-MP, 68", BOT	426-6487
CARRIAGE, PAL C2, 46", SSL	351-9371
FORK, PAL C2, 48" X 4" X 1.5"	195-8545
SOLID TRACTION TIRES	

WARRANTY & COVERAGE

Standard Warranty:	24 MONTHS / 2,000 HOURS FULL MACHINE
Extended Coverage:	262-60 MO/2500 HR PREMIER (Tier 4)
CSA	36 MO / 1,500 HOURS PARTS ONLY (INCLUDES SOS) (QUINN CVA)

LIST PRICE	$110,894.62
SOURCEWELL CONTRACT 032119 -21%	-$23,287.87
DISCOUNTED SALE PRICE	**$87,606.75**
TIRE FEE	$7.00
SALES TAX (7.75%)	$6,789.52
AFTER TAX BALANCE	**$94,403.27**

PAYMENT TERMS

Cash Invoice Terms
Net 10 Days
$94,403.27

F.O.B/TERMS:
Subject to Factory Order. Request to be submitted for order with signed quote. Lead time unknown until order acknowledged by Caterpillar.

Accepted by_____ **on** _____

_____
Signature

OPTIONS:

Components	Ref No.	Qty	Sell
CAT Components (Attachments)			
BROOM, UTILITY, BU115, BOCE	493-2258	1	$6,569.00
MOUNTING BRACKET, NOZZLE	257-3140	1	$35.00
KIT, WATER SPRINKLER	256-9335	1	$235.00
COLD PLANER, PC306	529-5790	1	$26,319.00
KIT, WATER SPRAY, PCX06/8	231-2591	1	$265.00
KIT, WATER TANK, 44 US GAL	571-6876	1	$2,340.00

344

(REPLACING 344 : 386)

156206-02

Jan 12, 2023

CITY OF COSTA MESA

P O BOX 1200
COSTA MESA, California 92626

Attention: MIKE TUCKER

Quinn Company would like to thank you for your interest in our company and our products, and are pleased to quote the following for your consideration.

One (1) New Caterpillar Inc. Model: 308 Excavator

STOCK NUMBER: NS0019176 **SERIAL NUMBER:** 0GG807833 **YEAR:** 2023

Quinn Company would like to thank you for the opportunity of quoting on your equipment needs. This quotation is valid for 30 days, after which time we reserve the right to re-quote. If there are any questions, please do not hesitate to contact me.

Sincerely,

Jeff Liebl
Governmental Machine Sales Representative
714 713-5110
jliebl@quinncompany.com

One (1) New Caterpillar Inc. Model: 308 Excavator

Standard Equipment

POWERTRAIN

CAT C3.3B diesel engine
ISO 9249/EEC 80/1270
Rated net power 55kW/72hp
Automatic engine Idle
Automatic swing brake
Automatic two speed travel
Fuel water seperator with indicator
Radial seal air filter
Double element with warning indicator
Extended life coolant - 37C

UNDERCARRIAGE

Greased and lubricated track
Hydraulic track adjusters
Tie down eyes on track frame

HYDRAULICS

Smart tech electronic pump
Variable displacement piston pump
Load sensing/flow sharing hydraulics
Power on demand
Hydraulic temperature monitoring
Accumulator - certified
Hydro advanced hydraulic oil

ELECTRICAL

60 ampere alternator
850 CCA maintenance free battery
Battery disconnect
Circuit breaker
Ignition key stop switch
Signaling/warning horn
Work lights
- Cab, boom left, front right
- Courtesy safety light

OPERATOR ENVIRONMENT

Sealed and pressurized cab
Ergonomic joysticks control levers
Adjustable wrist rests
Air conditioner/heater with defroster &
Automatic temp control
Coat hook
Color LCD monitor:
- Fuel level, coolant temp, & warning indicators
- Maintenance and machine monitoring
- Performance & machine adjustments
- Numberic security code
- Multiple languages
- Hour meter
- Ground level wakeup switch
- Jog dial control interface
Hydraulic lockout for all controls
LED interior light
Literature holder
Mirror rear view - Cab left
Molded footrests
Openable front windshield with assist & integragted lower window
Rear window emergency exit
Removable washable floor mat
Retractable seat belt
Seat, fabric, high back, suspension
Travel control pedals with hand levers
Utility space for mobile phone
Front post mounted windshield wiper & washer
Skylight

Cup holder

Mounting bosses for front & top guard

FLUIDS

Extended life coolant - 37C

Hydro advanced hydraulic oil

OTHER STANDARD EQUIPMENT

Accumulator, certification
Caterpillar corporate "one key" system
Door locks on cab door and external enclosure doors
Lockable fuel cap
Beacon Socket
Ecology drain - engine
Radial seal engine air filter, double element with restriction indicator
Side by side engine & hydraulic oil cooler
Hydraulic fluid temperature monitoring
Joystick travel and steering mode
Travel cruise control

High definition hydraulics
- load sensing/flow sharing
Power on demand
Rear reflectors
Roll over protective structure (ROPS) (ISO 12117-2)
Product link elite lite (regulations apply)
Auxiliary hydraulic lines:
- 1-way and 2-way (combined function)
- Auxiliary line quick disconnects
- In cab adjustable auxiliary flow
- Continuous flow

MACHINE SPECIFICATIONS

308 07A CR MHE DCA8D	615-9672
DRAIN, ECOLOGY	382-8757
HEATER, WATER JACKET	415-2556
SEAT, AIR SUSP, FABRIC, HEATED	510-6070
BELT, SEAT, 3" RETRACTABLE	510-6085
ALARM, TRAVEL	511-6157
MONITOR NEXT GEN, ADVANCED, CR	511-6177
LIGHTS, LED	511-6217
INTEGRATED RADIO	511-6219
CAMERA, REAR VIEW	511-6235
ELECTRICAL ARR, C3.3 HRC	511-6253
308 07A CR MINI EXCAVATOR	512-1401
BOOM, SWING	512-2573
LINES, BOOM	514-8055
LINES, STICK	514-8067
LINES, QC, LNG STK, 3 LINE	516-1613
ENGINE, EPA TIER 4 FINAL	518-6184
CONTROL, QC, 3 LINE	520-0778
CAT KEY, WITH PASSCODE OPTION	522-6460
INSTRUCTIONS, ANSI	523-3993
INSTRUCTIONS, CANADA	523-9613
COUNTERWEIGHT, EXTRA	525-6657
FILM, COUPLER, ISO	555-8731
SOFTWARE, PROPORTIONAL CONTROL	557-1709
SOFTWARE, STICK STEER CONTROL	557-1710
SOFTWARE, 2 WAY CONTROL	557-1711
SOFTWARE, CODED START	557-1713
PRODUCT LINK, CELLULAR PLE643	557-5123
STD BLADE, STD U/C, TG W/PAD	562-3698
STICK, LONG	563-2071
LINKAGE, BUCKET W/ LIFTING EYE	568-1567
EOU HOUSE SWING COVER, 8T	605-3340
WIRING GP	604-0125
COVER GP	605-3336
PLUG GP	605-3339
LANE 2 ORDER	0P-9002
ATHENS DEALER PDI & FUEL	590-9287
THUMB,HYD + COUPLER,PG,HYD, 8T	504-6175
BUCKET-HD, 24", 8.1 FT3, 7T	295-5952
SHIPPING/STORAGE PROTECTION	0P-2266
SERIALIZED TECHNICAL MEDIA KIT	421-8926
PACKING, LAST MILE PROGRAM	0P-4299
BUCKET-HD, 18", 5.4 FT3, 7T	295-5951
BUCKET-HD, 36", 13.8 FT3, 7T	295-5954
PINS, BUCKET, 50MM	308-0324
BRACKET, MHE 8T, 50MM, XL	564-9840
BUCKET-GRADING, 47",14.6FT3,7T	388-9666
WHEEL, 18", 1/4 PL	517-6996

WARRANTY & COVERAGE

Standard Warranty:	24 MONTHS / 2,000 HOURS FULL MACHINE
Extended Coverage:	60 MO/2500 HR PREMIER (Total Machine)
CSA	36 MO / 1,500 HOURS PARTS ONLY (Filter Kits for first 3 Services)

LIST PRICE	$231,823.78
SOURCEWELL CONTRACT 032119 DISCOUNT -20%	-$43,364.76
DISCOUNTED SALE PRICE	**$185,459.02**
SALES TAX (7.75%)	$14,373.07
AFTER TAX BALANCE	**$199,832.10**

PAYMENT TERMS

Cash Invoice Terms

NET 10 DAYS

$199,832.10

F.O.B/TERMS:
On order arriving end of January 12, 2023
Reservation with signed quote or PO

Accepted by MIKE TUCKER **on** 1/12/23

MAINT. SUPERINTENDENT
CITY OF COSTA MESA

Signature