



194983-01

June 17, 2026

CITY OF COSTA MESA
Attention Account Payable
P O BOX 1200
COSTA MESA, California 92626

Attention: RUBEN SALAS

Quinn Company would like to thank you for your interest in our company and our products, and are pleased to quote the following for your consideration.

One (1) New Caterpillar Inc. Model: 938 Wheel Loader

STOCK NUMBER: **SERIAL NUMBER:** **YEAR:** 2026

Quinn Company would like to thank you for the opportunity of quoting on your equipment needs. This quotation is valid for 60 days, after which time we reserve the right to re-quote. If there are any questions, please do not hesitate to contact me.

Sincerely,

Jeff Liebl
Governmental Machine Sales Representative
714 713-5110
jliebl@quinncompany.com

One (1) New Caterpillar Inc. Model: 938 Wheel Loader**Standard Equipment****POWERTRAIN**

Cat C7.1 ACERT engine
 -Auto Idle shut down feature
 -Auto Engine RPM
 -Power modes (Standard and Performance)
 -Power by range (High power in range 4)
 -Tier 4 final/Stage V compliant
 -Turbocharged and aftercooled
 -Filtered crankcase breather
 -Diesel particulate filter
 -Selective catalyst reduction
 Dry type air cleaner
 Coolant protection to -34C (-29F)
 Fuel priming pump, automatic
 Fuel Water separator
 Auto Differential lock in front axle
 Axle seal guards
 Enclosed wet disc full hydraulic brakes

Parking brake, electric
 Lubed for life driveshafts
 Hydrostatic transmission with electronic control
 -Operator modes(TC, Hystat, Single Pedal and Ice)
 -Directional shift aggressiveness (Fast, Medium, Slow)
 -Auto Rimpull control, adjust wheel torque
 -Creeper control, adjust ground speed
 Single plane cooling package wide 6 fins per inch density
 Hydraulically driven demand cooling fan
 S-O-S port,engine,coolant,transmission oil

HYDRAULICS

Automatic lift and bucket kickouts, adjustable in-cab
 Bucket and fork modes, adjustable in-cab
 Cylinder damping at kickout and mechanical end stops
 Fine mode control (fast, medium, slow) in Fork Mode
 Hydraulic response setting (fast,

medium, slow)
 Hydraulic diagnostic connectors and S-O-S ports
 Hydraulic sight gauge, visible
 Load sensing hydraulics and steering
 Seat mounted hydraulic joystick controls
 Cat Payload 250 hours of Demo

ELECTRICAL

Alternator, 115-amp, heavy duty
 12V power supply in cab (2)
 Batteries, 1,000 CCA (2) 24 volt system, disconnect switch
 Back up alarm
 Emergency shutdown switch
 LED rear stop and turn lights

Heavy duty gear reduction starter
 Product Link
 Remote jump start post
 Resettable main and critical function breakers
 Rooding lights front and rear

OPERATOR ENVIRONMENT

75 mm (3 in) retractable seatbelt
 Automatic temperature control
 Cab, enclosed ROPS/FOPS pressurized

Sliding glass on the side windows
 Column mounted multi function control
 -lights, wipers, turn signal

and sound suppressed
Push to Start
8 Inch Touch Screen
Jog Dial with Screen Control
Programmable Joystick
Cup holders
External heated mirrors with lower
parabolic
Ground level cab door release
Hydraulic control lockout
Interior cab lighting, door
Lunch box storage
Operator warning system indicators
Radio ready speakers
Rear window defrost, electric
Seat mounted electronic implement
controls, adjustable

OTHER STANDARD EQUIPMENT

Large-access enclosure doors with
adjustable close/open force
Parallel lift loader linkage
Recovery hitch with pin
Remote mounted lubrication points

Suspension seat, fabric
Tilt steering wheel
Tinted front glass
Wet arm wiper/washer, 2-speed and
intermittent, front
Wet arm wiper washer, rear
Mounting Provision
Gauges
-Digital hour meter, odometer and
tachometer
-Digital ground speedometer and
direction indicator
-Engine coolant temperature gauge
-Fuel and diesel exhaust fluid level
indicator
-Hydraulic oil temperature gauge

Vandalism protection-
lockable compartments
1000 hour Service Intervals
(after initial 500)

MACHINE SPECIFICATIONS

938 14A WHEEL LOADER	579-7703
LANE 3 ORDER	0P-9003
PRODUCT LINK, CELLULAR PLE643	573-8455
FILM GP, WARNING, PL, ANSI	638-5475
STANDARD LIFT, COUPLER READY	593-8941
HYDRAULICS, STANDARD	536-5284
HYDRAULICS, 3V	593-8943
JOYSTICK 3V, STEERING WHEEL	593-8916
STEERING WHEEL, STANDARD	579-7718
DIFFERENTIAL, OPEN REAR	349-8014
ENVIRONMENT, MEDIUM DEBRIS	579-7722
WEATHER, STANDARD	579-7730
CAB, STANDARD	578-1363
AIR CONDITIONING, R134A REF	579-7735
ENGINE	593-8993
PUSH START, PASSCODE SECURITY	579-7738
CAMERAS, MULTI VIEW	579-7763
MIRRORS, HEAT,ELEC ADJ, MULTI	620-0580
SEAT, DELUXE, TILT AND TELE	593-8962
LIGHTS, STD, LED	590-8869
LIGHTS, ROADING, LED, RH	633-0598
STANDARD RADIO (12V)	590-8872
WINDSHIELD ACCESS STEPS, NONE	612-1012
TIRES, 20.5R25 MA MS301 * L3	613-2831
FENDERS, STANDARD	593-8951
CTWT, HEAVY,3770LBS,7PCS	467-7990
TOOLBOX AUX, NONE	519-8081
HYDRAULIC OIL, STANDARD	619-8439
SERIALIZED TECHNICAL MEDIA KIT	421-8926
LINES, AUX 3RD, STD LIFT	530-1628
RIDE CONTROL	579-7697
DETECTION, OBJECT (RADAR)	625-8623
BEACON, WARNING, STROBE, AMBER	600-3781
MIRRORS, INTERNAL 1X REAR VIEW	596-5866
CAT PAYLOAD, ENABLED	627-5236
BACKUP ALARM, STD	663-9514
GUARD, WINDSHIELD	602-3934
GUARD, FRONT LIGHTS	631-8725
GUARD, TILT CYLINDER, STD LIFT	433-9751
GUARD, POWERTRAIN, LOWER	349-8165
GUARD, CRANKCASE	349-8163
GUARD, DRIVESHAFT	349-8164
CARRIAGE, PAL C3/4, 62", FUSION	532-8222
FORK TINES, 2.25" X 6" X 60"	371-2360
JUMPER LINES, AUX 3RD, FUSION	445-4725
BUCKET-GP, 3.2 YD3, FUS, EDGE	417-4925
3.5 CYD GRAPPLE BUCKET	ROCKLAND

WARRANTY & COVERAGE

Standard Warranty: 12 MONTHS STANDARD WARRANTY- TOTAL MACHINE
CSA 24 Months / 1,000 Hours Parts Only + VisonLink Connect- Filter Kits complimentary for first 2 services

SELL PRICE- SOURCEWELL CONTRACT 011723-CAT	\$324,233.84
CSA	Included
NET BALANCE DUE	\$324,233.84
TIRE FEE	\$7.00
SALES TAX (7.75%)	\$25,128.12
AFTER TAX BALANCE	\$349,368.97

PAYMENT TERMS

Cash Invoice Terms

NET 10 DAYS
\$349,368.97

F.O.B/TERMS:

Subject to Factory Order if not in stock.
Delivery to Costa Mesa Yard included.

Accepted by _____ on _____

Signature